

# 2023 BrightDrop Zevo 600

## **AVAILABLE MODELS** **Zevo 600 (5M32905)**

Intended solely for business use by BrightDrop dealers. Certain models, options or equipment may be available only to customers who qualify as fleet or commercial customers.

None of the information in this Online Order / Reference Guide has been reviewed or approved for use in any advertising of any kind.

BrightDrop has taken reasonable steps to make the information in this Online Order / Reference Guide accurate as of the time of posting. However, BrightDrop reserves the right to make changes to this information at any time without notice.



S = Standard Equipment A = Available --(dashes) = Not Available D = ADI Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	Zevo 600 5M32905
			EJY
	C68	<b>Air conditioning</b> , automatic climate control	S
	AR4	<b>Airbags</b> , dual-stage frontal, roof-rail side-impact and side-impact seat-mounted for driver	S
	IOK	<b>Audio system</b> , Infotainment system with 13.4" diagonal HD color touchscreen, includes multi-touch display, AM/FM stereo, Bluetooth streaming audio for music and most phones; featuring wireless Android Auto and Apple CarPlay capability for compatible phones, advanced voice recognition, personalized profiles for infotainment and vehicle settings	S
	UQF	<b>Audio system feature</b> , 2-speaker system	S
	UBJ	<b>USB ports</b> , 2, one type-A and one type-C, located within the instrument panel	S
	T8Z	<b>Buckle to Drive</b> , prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off with Fleet Driver feature	S
		<b>Cargo tie downs</b> , 8, fixed, rated at 1,000 lbs (453.59 kg) each	S
	U80	<b>Compass</b> , digital	S
	K34	<b>Cruise control</b> , electronic with set and resume speed, steering wheel-mounted 1 - Upgraded to (KSG) Adaptive Cruise Control when (AS2) Active Safety Package 2 is ordered.	S <sup>1</sup>
		<b>Cup holders</b> , 2 on driver side, 1 on curbside	S
		<b>Delivery Mode</b> , a feature that automates repetitive tasks for the driver to speed package delivery. Includes turning on cabin lighting, unlocking bulkhead door and sounding the horn when vehicle is shifted out of park.	S
		<b>Door locks</b> , power	S
	UDV	<b>Driver Information Center</b> , 12.3" diagonal color screen	S
		<b>Fleet Driver</b> , a configurable feature in the BrightDrop software platform that lets you activate customizable vehicle settings to help encourage safe driving behavior. It can limit certain available vehicle features and will prevent certain safety systems from being turned off.	S
		<b>Floor covering</b> , front cabin area, all-weather durable	S
	UE4	<b>Following Distance Indicator</b>	S
	UEU	<b>Forward Collision Alert</b>	S
	UHX	<b>Lane Keep Assist</b>	S
		<b>LED lighting</b> , 2, motion-sensing, cargo area	S
	UIT	<b>LED Reflective Windshield Collision Alert</b>	S
	UE1	<b>OnStar</b> connected services capable 1 - Terms and limitations apply. See <a href="http://gobrightdrop.com">gobrightdrop.com</a> or dealer for details.	S <sup>1</sup>

Free Flow RPO Code	Ref. Only RPO Code	Description	Zevo 600 5M32905
			EJY
	VV4	<b>Wi-Fi Hotspot capable</b> 1 - Terms and limitations apply. See <a href="http://gobrightdrop.com">gobrightdrop.com</a> or dealer for details.	S <sup>1</sup>
	UFA	<b>Outside temperature display</b> , located in the infotainment display	S
	AYW	<b>Bulkhead door</b> , manual open/close	S
		<b>Pedestrian safety signal</b> , automated external sound generator at low speeds alerts pedestrians of vehicle presence in the front and rear of the vehicle	S
		<b>Push Button Start</b>	S
	KH8	<b>Power outlet</b> , auxiliary, 12-volt	S
	UVB	<b>HD Rear Vision Camera</b> 1 - Upgraded to (UV2) HD Surround Vision when (AS2) Active Safety Package 2 is ordered.	S <sup>1</sup>
	CTT	<b>Rear Guidance</b>	S
	PZ8	<b>Step Bumper View</b>	S
	ATH	<b>Remote Keyless Entry</b>	S
		<b>Remote panic alarm</b>	S
	BTV	<b>Remote vehicle starter system</b>	S
	A50	<b>Seat</b> , front bucket, driver with 2-way headrest	S
	A2U	<b>Seat adjuster</b> , driver 6-way manual with manual lumbar support	S
	A70	<b>Seat belt</b> , driver, 3-point	S
	AEO	<b>Seat belt pretensioner</b> , driver	S
	719	<b>Seat belt color</b> , Black	S
	ASV	<b>Sensor</b> , humidity and windshield temperature	S
		<b>Steering column</b> , manual tilt and telescoping	S
	NK5	<b>Steering wheel</b> , urethane	S
		<b>Storage bins</b> , upper instrument panel on driver side, upper instrument panel on curbside, lower floor area on curbside	S
		<b>Storage</b> , overhead console	S
	UTJ	<b>Theft deterrent system</b> , unauthorized entry	S
	UTV	<b>Theft deterrent sensor</b> , cargo area interior movement	S
	UTU	<b>Theft deterrent sensor</b> , vehicle inclination	S
	UJN	<b>Tire Pressure Monitor System</b> , auto learn, includes Tire Fill Alert (does not apply to spare tire)	S
	VHM	<b>Vehicle health management</b> , provides advanced warning of vehicle issues	S

Free Flow RPO Code	Ref. Only RPO Code	Description	Zevo 600 5M32905
			EJY
	WLD	<b>Window</b> , remote express-down, driver-only	S
	D5W	<b>Cargo door</b> , roll-up, rear	S
		<b>Charge port lighting</b> with charge indicator	S
	AKP	<b>Glass</b> , solar absorbing	S
	T83	<b>Headlamp control</b> , automatic on and off	S
		<b>Headlamps</b> , LED with daytime running lamps and turn signals	S
	TQ5	<b>IntelliBeam</b> , auto high beam	S
	U05	<b>Horn</b> , dual-note	S
		<b>Lamp</b> , front, Smoked Amber roof marker, LED	S
		<b>Lamp</b> , rear, Red, roof marker, LED	S
	DFB	<b>Mirrors</b> , outside, heated, power-adjustable, manual-folding	S
	UD5	<b>Front and Rear Park Assist</b>	S
		<b>Rear hold bars</b> , integrated	S
		<b>Rear step bumper</b>	S
		<b>Taillamps</b> , LED	S
	ZHQ	<b>Tire</b> , spare LT245/75R17E all-season, blackwall	S
	QHQ	<b>Tires</b> , LT245/75R17E all-season, blackwall	S
	NZ4	<b>Wheel</b> , 17" (43.2 cm) steel spare, Black-painted	S
	PYN	<b>Wheels</b> , 17" (43.2 cm) steel, Black-painted	S
		<b>Washer system</b> , washer level sensor	S
	CE1	<b>Wipers</b> , front intermittent, Rainsense	S
		<b>Auto Vehicle Hold</b>	S
	ETJ	<b>Battery</b> , Ultium, 20 module pack (GM-estimated range 250 miles)	S
	K4F	<b>Battery</b> , 12-volt with rundown protection, 800 cold-cranking amps with 80 amp-hour rating	S
	J77	<b>Brake</b> , electronic parking	S
	JSV	<b>Brakes</b> , 17" front and rear sliding caliper disc	S
	UHY	<b>Automatic Emergency Braking</b> 1 - Upgraded to (UGN) Enhanced Automatic Emergency Braking when (AS2) Active Safety Package 2 is ordered.	S <sup>1</sup>
	UKJ	<b>Front Pedestrian Braking</b>	S

Free Flow RPO Code	Ref. Only RPO Code	Description	Zevo 600 5M32905
			EJY
		<b>Regenerative braking</b>	S
	K28	<b>Charging module</b> , 11.5 kW high-voltage	S
	XFD	<b>Chassis drive line</b> , All-Wheel Drive (AWD), electric front	S
		<b>DC fast charging</b> , 400 volt, up to 120 kW	S
	P8N	<b>Drive unit</b> , rear, secondary, one motor, integrated inverter, no park	S
	S80	<b>Drive unit</b> , front, primary, one motor, integrated inverter, open differential, park system	S
	EPH	<b>Electronic Precision Shift</b> , electronic transmission range selector with Low selection for throttle off regenerative braking and one-pedal driving capability	S
	NF6	<b>Emission system zero emission vehicle (ZEV)</b>	S
		<b>Final drive ratio</b> , 13.26:1 (X80F) front axle and 11.63:1 (X77R) rear axle	S
	C5F	<b>GVWR</b> , 9990 lbs. (4531 kg)	S
		<b>One Pedal Driving</b>	S
		<b>StabiliTrak</b> , stability control system with Traction Control and Hill Start Assist	S
	XRJ	<b>Ultium Drive System</b> , Torque Vectoring eAWD (Electronic AWD), 2 motors (1 front and 1 rear electric drive unit) 300 hp (225 kW) and 390 lb-ft (530 Nm) of torque	S

S = Standard Equipment A = Available --(dashes) = Not Available D = ADI Available ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable <b>Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.</b>			
Free Flow RPO Code	Ref. RPO Code	Description	Zevo 600 5M32905
			EJY
AS1		<b>Active Safety Package 1</b> , includes (HS1) Safety Alert Seat, (UKI) Blind Zone Steering Assist and (UFB) Rear Cross Traffic Braking	A
AS2		<b>Active Safety Package 2</b> , includes (KSG) Adaptive Cruise Control, (UV2) HD Surround Vision, (UGN) Enhanced Automatic Emergency Braking and (UVZ) Reverse Automatic Braking 1 - Requires (AS1) Active Safety Package 1.	A <sup>1</sup>
PCH		<b>Heat Package</b> , includes (KAG) heated driver seat cushion and seatback, (NP5) leather-wrapped steering wheel and (KI3) heated steering wheel	A
	C68	<b>Air conditioning</b> , automatic climate control	S
	AR4	<b>Airbags</b> , dual-stage frontal, roof-rail side-impact and side-impact seat-mounted for driver	S
	AR8	<b>Airbags</b> , roof-rail side-impact and side-impact seat-mounted for front passenger jump seat 1 - Included and only available with (ASP) front passenger jump seat.	A <sup>1</sup>
	IOK	<b>Audio system</b> , Infotainment system with 13.4" diagonal HD color touchscreen, includes multi-touch display, AM/FM stereo, Bluetooth streaming audio for music and most phones; featuring wireless Android Auto and Apple CarPlay capability for compatible phones, advanced voice recognition, personalized profiles for infotainment and vehicle settings	S
	UQF	<b>Audio system feature</b> , 2-speaker system	S
	UBJ	<b>USB ports</b> , 2, one type-A and one type-C, located within the instrument panel	S
	UKI	<b>Blind Zone Steering Assist</b> 1 - Included and only available with (AS1) Active Safety Package 1.	A <sup>1</sup>
	T8Z	<b>Buckle to Drive</b> , prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off with Fleet Driver feature	S
		<b>Cargo tie downs</b> , 8, fixed, rated at 1,000 lbs (453.59 kg) each	S
	U80	<b>Compass</b> , digital	S
	K34	<b>Cruise control</b> , electronic with set and resume speed, steering wheel-mounted 1 - Upgraded to (KSG) Adaptive Cruise Control when (AS2) Active Safety Package 2 is ordered.	S <sup>1</sup>
	KSG	<b>Adaptive Cruise Control</b> 1 - Included and only available with (AS2) Active Safety Package 2.	A <sup>1</sup>
		<b>Cup holders</b> , 2 on driver side, 1 on curbside	S
		<b>Delivery Mode</b> , a feature that automates repetitive tasks for the driver to speed package delivery. Includes turning on cabin lighting, unlocking bulkhead door and sounding the horn when vehicle is shifted out of park.	S
		<b>Door locks</b> , power	S
	UDV	<b>Driver Information Center</b> , 12.3" diagonal color screen	S

Free Flow RPO Code	Ref. Only RPO Code	Description	Zevo 600 5M32905
			EJY
VS6		<b>Fire extinguisher</b> , 1.5 kg with mount 1 - Included with (PCM) Commercial Equipment Package/Black Exterior or (FEX) Commercial Equipment Package/White Exterior.	A <sup>1</sup>
VS1		<b>First aid kit</b> 1 - Included with (PCM) Commercial Equipment Package/Black Exterior or (FEX) Commercial Equipment Package/White Exterior.	A <sup>1</sup>
		<b>Fleet Driver</b> , a configurable feature in the BrightDrop software platform that lets you activate customizable vehicle settings to help encourage safe driving behavior. It can limit certain available vehicle features and will prevent certain safety systems from being turned off.	S
		<b>Floor covering</b> , front cabin area, all-weather durable	S
BG3		<b>Floor covering</b> , cargo area, composite, anti-slip, high-durability	A
	UE4	<b>Following Distance Indicator</b>	S
	UEU	<b>Forward Collision Alert</b>	S
5H1		<b>Key system</b> , 2 additional key fobs 1 - Included with (PCM) Commercial Equipment Package/Black Exterior or (FEX) Commercial Equipment Package/White Exterior.	A <sup>1</sup>
	UHX	<b>Lane Keep Assist</b>	S
		<b>LED lighting</b> , 2, motion-sensing, cargo area	S
	UIT	<b>LED Reflective Windshield Collision Alert</b>	S
	UE1	<b>OnStar</b> connected services capable 1 - Terms and limitations apply. See <a href="http://gobrightdrop.com">gobrightdrop.com</a> or dealer for details.	S <sup>1</sup>
	VV4	<b>Wi-Fi Hotspot capable</b> 1 - Terms and limitations apply. See <a href="http://gobrightdrop.com">gobrightdrop.com</a> or dealer for details.	S <sup>1</sup>
P1S		<b>OnStar, Additional 21 months of OnStar Assurance.</b> Provides up to 21 months of OnStar Assurance service in addition to the 3 months of complimentary Safety & Security coverage that is included in the price of the vehicle. Total Fleet OnStar service duration is up to 24 months. OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. See <a href="http://OnStar.com/BusinessSolutions">OnStar.com/BusinessSolutions</a> for details and limitations. 1 - Requires (UE1) OnStar. Fleet or Government order types only. Not available with P1T or a ship-to of Guam, Puerto Rico or the Virgin Islands.	A <sup>1</sup>
P1T		<b>OnStar, Additional 33 months of OnStar Assurance.</b> Provides up to 33 months of OnStar Assurance service in addition to the 3 months of complimentary Safety & Security coverage that is included in the price of the vehicle. Total Fleet OnStar service duration is up to 36 months. OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. See <a href="http://OnStar.com/BusinessSolutions">OnStar.com/BusinessSolutions</a> for details and limitations. 1 - Requires (UE1) OnStar. Fleet or Government order types only. Not available with P1S or a ship-to of Guam, Puerto Rico or the Virgin Islands.	A <sup>1</sup>
	UFA	<b>Outside temperature display</b> , located in the infotainment display	S
	AYW	<b>Bulkhead door</b> , manual open/close	S
BHA		<b>Bulkhead door</b> , automatic open/manual close	A

Free Flow RPO Code	Ref. Only RPO Code	Description	Zevo 600 5M32905
			EJY
		<b>Pedestrian safety signal</b> , automated external sound generator at low speeds alerts pedestrians of vehicle presence in the front and rear of the vehicle	S
		<b>Push Button Start</b>	S
	KH8	<b>Power outlet</b> , auxiliary, 12-volt	S
KI4		<b>Power outlets</b> , two, 110-volt, located in upper instrument panel bin and on cargo area bulkhead wall	A
	UVB	<b>HD Rear Vision Camera</b> 1 - Upgraded to (UV2) HD Surround Vision when (AS2) Active Safety Package 2 is ordered.	S <sup>1</sup>
	UV2	<b>HD Surround Vision</b> 1 - Included and only available with (AS2) Active Safety Package 2.	A <sup>1</sup>
	CTT	<b>Rear Guidance</b>	S
	PZ8	<b>Step Bumper View</b>	S
	ATH	<b>Remote Keyless Entry</b>	S
		<b>Remote panic alarm</b>	S
	BTV	<b>Remote vehicle starter system</b>	S
	HS1	<b>Safety Alert Seat</b> 1 - Included and only available with (AS1) Active Safety Package 1.	A <sup>1</sup>
	A50	<b>Seat</b> , front bucket, driver with 2-way headrest	S
ASP		<b>Seat</b> , front passenger jump, includes (AIA) front passenger jump seat, 3-point seat belt and (AR8) roof-rail side-impact and side-impact seat-mounted airbags for front passenger jump seat	A
	KAG	<b>Seat</b> , heated driver cushion and seatback 1 - Included and only available with (PCH) Heat Package.	A <sup>1</sup>
	A2U	<b>Seat adjuster</b> , driver 6-way manual with manual lumbar support	S
	A70	<b>Seat belt</b> , driver, 3-point	S
	AIA	<b>Seat belt</b> , front passenger jump seat, 3-point 1 - Included and only available with (ASP) front passenger jump seat.	A <sup>1</sup>
	AEO	<b>Seat belt pretensioner</b> , driver	S
	719	<b>Seat belt color</b> , Black	S
379		<b>Seat belt color</b> , Orange 1 - Included with (PCM) Commercial Equipment Package/Black Exterior or (FEX) Commercial Equipment Package/White Exterior.	A <sup>1</sup>
	ASV	<b>Sensor</b> , humidity and windshield temperature	S
FSE		<b>Spare fuse kit</b> 1 - Included with (PCM) Commercial Equipment Package/Black Exterior or (FEX) Commercial Equipment Package/White Exterior.	A <sup>1</sup>
		<b>Steering column</b> , manual tilt and telescoping	S
	NK5	<b>Steering wheel</b> , urethane	S



Free Flow RPO Code	Ref. Only RPO Code	Description	Zevo 600 5M32905
			EJY
	NP5	<b>Steering wheel</b> , leather-wrapped 1 - Included and only available with (PCH) Heat Package.	A <sup>1</sup>
	KI3	<b>Steering wheel</b> , heated 1 - Included and only available with (PCH) Heat Package.	A <sup>1</sup>
		<b>Storage bins</b> , upper instrument panel on driver side, upper instrument panel on curbside, lower floor area on curbside	S
		<b>Storage</b> , overhead console	S
	UTJ	<b>Theft deterrent system</b> , unauthorized entry	S
	UTV	<b>Theft deterrent sensor</b> , cargo area interior movement	S
	UTU	<b>Theft deterrent sensor</b> , vehicle inclination	S
	UJN	<b>Tire Pressure Monitor System</b> , auto learn, includes Tire Fill Alert (does not apply to spare tire)	S
	VHM	<b>Vehicle health management</b> , provides advanced warning of vehicle issues	S
	WLD	<b>Window</b> , remote express-down, driver-only	S

S = Standard Equipment A = Available --(dashes) = Not Available D = ADI Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	Zevo 600 5M32905
			EJY
PCM		<b>Commercial Equipment Package/Black Exterior</b> , includes (379) Orange seat belt color, (5H1) 2 additional key fobs, (VS1) first aid kit, (VS6) fire extinguisher, (TD1) safety reflector triangle kit, (VH4) rear splash guards and (FSE) spare fuse kit <b>1 - Not available with (FEX) Commercial Equipment Package/White Exterior.</b>	A <sup>1</sup>
FEX		<b>Commercial Equipment Package/White Exterior</b> , includes (GRO) Oyster White exterior color, (RSF) 17" White-painted steel wheels, (RUF) 17" White-painted steel spare wheel, (379) Orange seat belt color, (5H1) 2 additional key fobs, (VS1) first aid kit, (VS6) fire extinguisher, (TD1) safety reflector triangle kit, (VH4) rear splash guards and (FSE) spare fuse kit <b>1 - Not available with (PCM) Commercial Equipment Package/Black Exterior.</b>	A <sup>1</sup>
PCL		<b>Exterior Light Package</b> , includes (DFC) outside, heated, power-adjustable, manual-folding mirrors with puddle lamps and (UF2) exterior, overhead cargo door task light	A
	D5W	<b>Cargo door</b> , roll-up, rear	S
		<b>Charge port lighting</b> with charge indicator	S
	AKP	<b>Glass</b> , solar absorbing	S
	T83	<b>Headlamp control</b> , automatic on and off	S
		<b>Headlamps</b> , LED with daytime running lamps and turn signals	S
	TQ5	<b>IntelliBeam</b> , auto high beam	S
	U05	<b>Horn</b> , dual-note	S
	UF2	<b>Lamp</b> , exterior, overhead cargo door task light <b>1 - Included and only available with (PCL) Exterior Light Package.</b>	A <sup>1</sup>
		<b>Lamp</b> , front, Smoked Amber roof marker, LED	S
		<b>Lamp</b> , rear, Red, roof marker, LED	S
VK3		<b>License plate front mounting package</b> (will be forced on orders with ship-to states that require a front license plate)	A
Q8E		<b>Mechanical jack</b> with tools <b>1 - Required for Rhode Island ship-to-state.</b>	A <sup>1</sup>
	DFB	<b>Mirrors</b> , outside, heated, power-adjustable, manual-folding	S
	DFC	<b>Mirrors</b> , outside, heated, power-adjustable, manual-folding with puddle lamps <b>1 - Included and only available with (PCL) Exterior Light Package.</b>	A <sup>1</sup>
	UD5	<b>Front and Rear Park Assist</b>	S
		<b>Rear hold bars</b> , integrated	S
		<b>Rear step bumper</b>	S
CC4		<b>Roof</b> , cargo area, translucent	A

Free Flow RPO Code	Ref. Only RPO Code	Description	Zevo 600 5M32905
			EJY
TD1		<b>Safety reflector triangle kit</b> , set of 3 1 - Included with (PCM) Commercial Equipment Package/Black Exterior or (FEX) Commercial Equipment Package/White Exterior.	A <sup>1</sup>
VH4		<b>Splash guards</b> , rear 1 - Included with (PCM) Commercial Equipment Package/Black Exterior or (FEX) Commercial Equipment Package/White Exterior.	A <sup>1</sup>
		<b>Taillamps</b> , LED	S
	ZHQ	<b>Tire</b> , spare LT245/75R17E all-season, blackwall	S
	QHQ	<b>Tires</b> , LT245/75R17E all-season, blackwall	S
	NZ4	<b>Wheel</b> , 17" (43.2 cm) steel spare, Black-painted	S
	RUF	<b>Wheel</b> , 17" (43.2 cm) steel spare, White-painted 1 - Included and only available with (FEX) Commercial Equipment Package/White Exterior.	A <sup>1</sup>
	PYN	<b>Wheels</b> , 17" (43.2 cm) steel, Black-painted	S
	RSF	<b>Wheels</b> , 17" (43.2 cm) steel, White-painted 1 - Included and only available with (FEX) Commercial Equipment Package/White Exterior.	A <sup>1</sup>
		<b>Washer system</b> , washer level sensor	S
	CE1	<b>Wipers</b> , front intermittent, Rainsense	S

S = Standard Equipment A = Available --(dashes) = Not Available D = ADI Available ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.			
Free Flow RPO Code	Ref. Only RPO Code	Description	Zevo 600 5M32905
			EJY
		<b>Auto Vehicle Hold</b>	S
	ETJ	<b>Battery</b> , Ultium, 20 module pack (GM-estimated range 250 miles)	S
	K4F	<b>Battery</b> , 12-volt with rundown protection, 800 cold-cranking amps with 80 amp-hour rating	S
	J77	<b>Brake</b> , electronic parking	S
	JSV	<b>Brakes</b> , 17" front and rear sliding caliper disc	S
	UHY	<b>Automatic Emergency Braking</b> 1 - Upgraded to (UGN) Enhanced Automatic Emergency Braking when (AS2) Active Safety Package 2 is ordered.	S <sup>1</sup>
	UGN	<b>Enhanced Automatic Emergency Braking</b> 1 - Included and only available with (AS2) Active Safety Package 2.	A <sup>1</sup>
	UKJ	<b>Front Pedestrian Braking</b>	S
	UFB	<b>Rear Cross Traffic Braking</b> 1 - Included and only available with (AS1) Active Safety Package 1.	A <sup>1</sup>
	UVZ	<b>Reverse Automatic Braking</b> 1 - Included and only available with (AS2) Active Safety Package 2.	A <sup>1</sup>
		<b>Regenerative braking</b>	S
	K28	<b>Charging module</b> , 11.5 kW high-voltage	S
	XFD	<b>Chassis drive line</b> , All-Wheel Drive (AWD), electric front	S
		<b>DC fast charging</b> , 400 volt, up to 120 kW	S
	P8N	<b>Drive unit</b> , rear, secondary, one motor, integrated inverter, no park	S
	S80	<b>Drive unit</b> , front, primary, one motor, integrated inverter, open differential, park system	S
	EPH	<b>Electronic Precision Shift</b> , electronic transmission range selector with Low selection for throttle off regenerative braking and one-pedal driving capability	S
	NF6	<b>Emission system zero emission vehicle (ZEV)</b>	S
FE9		<b>Emissions</b> , Federal requirements	A
NE1		<b>Emissions</b> , Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements	A
YF5		<b>Emissions</b> , California state requirements	A
		<b>Final drive ratio</b> , 13.26:1 (X80F) front axle and 11.63:1 (X77R) rear axle	S
KYR		<b>Governor</b> , vehicle speed sensor, 65 MPH (104.6 kph) 1 - Not available with (KYW) 75 MPH governor.	A <sup>1</sup>

Free Flow RPO Code	Ref. Only RPO Code	Description	Zevo 600 5M32905
			EJY
KYW		<b>Governor</b> , vehicle speed sensor, 75 MPH (120.7 kph) 1 - Not available with (KYR) 65 MPH governor.	A <sup>1</sup>
	C5F	<b>GVWR</b> , 9990 lbs. (4531 kg)	S
C7E		<b>GVWR</b> , 11,000 lbs. (4990 kg) 1 - Requires (TD1) safety reflector triangle kit and (VS6) fire extinguisher.	A <sup>1</sup>
		<b>One Pedal Driving</b>	S
		<b>StabiliTrak</b> , stability control system with Traction Control and Hill Start Assist	S
R6S		<b>Towing Reimbursement Plan, 3 years/36,000 miles</b> , BrightDrop will reimburse customer for actual and reasonable towing expenses for warrantable repairs for a period of 3 years or 36,000 miles, whichever comes first. Coverage begins on the date the vehicle is first delivered and ends at the expiration of the coverage period.	A
	XRJ	<b>Ultium Drive System</b> , Torque Vectoring eAWD (Electronic AWD), 2 motors (1 front and 1 rear electric drive unit) 300 hp (225 kW) and 390 lb-ft (530 Nm) of torque	S

S = Standard Equipment   A = Available   --(dashes) = Not Available   D = ADI Available ■ = Included in Equipment Group   □ = Included in Equipment Group but upgradeable				
Model	Seat Type	Seat Code	Seat Trim	Interior
				Jet Black
Zevo 600	Front bucket, driver	A50	Cloth	HBA
Exterior Solid Paint		Color Code	Touch Up Paint Number	Interior
				Jet Black
Black		GBA	WA-8555	A
Oyster White <sup>1</sup>		GRO	WA-673G	A
1 - Included and only available with (FEX) Commercial Equipment Package/White Exterior.				


S = Standard Equipment A = Available --(dashes) = Not Available D = ADI Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	Zevo 600 5M32905
			EJY
VSQ		<b>Ship Thru, Produced in Ingersoll, Ontario and shipped to Adrian Steel, Wentzville, MO</b> (Dealer Invoice = \$300.00)	A

All dimensions in inches (mm) unless otherwise stated.

		Specifications	5M32905 Zevo 600
	A	Wheelbase	183.48 (4660)
	B	Overall length	290 (7366)
	C	Vehicle width (with mirrors)	106.13 (2696)
		Vehicle width (without mirrors)	86.52 (2198)
	D	Overall height	107.93 (2741)
		Overall height with shark fin antenna	108.87 (2765)
		Overall height with mast antenna	117.42 (2982)
		Ground clearance	7.38 (187)
		Overhang, front	33.99 (863)
		Overhang, rear	72.57 (1843)
		Internal cargo area length	168.8 (4288)
		Internal cargo area width, wall to wall	83.68 (2125)
		Internal cargo area width, between wheel housing	53.53 (1360)
		Internal cargo area height	82 (2083)
		Head room, cargo area (door open)	71.59 (1818)
		Bulkhead access with door open (width)	28.48 (723)
		Bulkhead access with door open (height)	75.8 (1925)
		Rear cargo access with door open (width)	58.05 (1474)
		Rear cargo access with door open (height)	71.59 (1818)
		Curbside door opening width	36.5 (927)



All dimensions in inches (mm) unless otherwise stated.

	Specifications	5M32905 Zevo 600
	Curbside step, height to ground	15.49 (393)
	Curbside step, depth	12.4 (315)
	Cargo floor , height to ground	26.43 (671)
	Rear step bumper, height to ground	17.82 (453)
	Charge port, height to ground	35.05 (890)
	Charge port. distance to end of step bumper	48.87 (1241)

Published dimensions indicated are without optional equipment or accessories. Additional accessories or equipment ordered at the customer's request can result in a minor change in these dimensions.

	5M32905 Zevo 600
<b>Specifications</b>	
Turning diameter, curb-to-curb, ft. (m)	51.5 (15.7)
Approach angle, front (degrees)	22.9
Departure angle, rear (degrees)	12.4
<b>Capacities</b>	
Curb weight (C5F), lbs. (kg)	8466 (3840)
Curb weight (C7E), lbs. (kg)	8483 (3848)
Cargo volume, cu. ft. (liters)	619.0 (17528.2)
Payload (C5F), lbs. (kg)	1450 (658)
Payload, Minimum, with all optional equipment (C5F), lbs. (kg)	1280 (581)
Payload (C7E), lbs. (kg)	2440 (1107)
Payload, Minimum, with all optional equipment (C7E), lbs. (kg)	2290 (1039)
Gross Vehicle Weight Rating (GVWR) (C5F), lbs. (kg)	9990 (4531)
Gross Vehicle Weight Rating (GVWR) (C7E), lbs. (kg)	11000 (4990)
Front Gross Axle Weight Rating (GAWR), lbs. (kg)	5291 (2400)
Rear Gross Axle Weight Rating (GAWR), lbs. (kg)	6172 (2800)

	<p>PYN <b>Wheels</b>, 17" (43.2 cm) steel, Black-painted</p>
	<p>RSF <b>Wheels</b>, 17" (43.2 cm) steel, White-painted</p>

Option Code	Description
379	Seat belt color, Orange
5H1	Key system
719	Seat belt color, Black
A2U	Seat adjuster, driver 6-way manual
A50	Seat, front bucket
A70	Seat belt, driver
AEO	Seat belt pretensioner
AIA	Seat belt, front passenger jump seat
AKP	Glass, solar absorbing
AR4	Airbags, dual-stage frontal, roof-rail side-impact and side-impact seat-mounted for driver
AR8	Airbags, roof-rail side-impact and side-impact seat-mounted for front passenger jump seat
AS1	Active Safety Package 1
AS2	Active Safety Package 2
ASP	Seat, front passenger jump
ASV	Sensor, humidity
ATH	Remote Keyless Entry
AYW	Bulkhead door, manual open/close
BG3	Floor covering, cargo area, composite
BHA	Bulkhead door, automatic open/manual close
BTV	Remote vehicle starter system
C5F	GVWR, 9990 lbs. (4531 kg)
C68	Air conditioning, automatic climate control
C7E	GVWR, 11,000 lbs. (4990 kg)
CC4	Roof, cargo area
CE1	Wipers, front intermittent, Rainsense
CTT	Rear Guidance
D5W	Cargo door, roll-up, rear
DFB	Mirrors, outside, heated, power-adjustable
DFC	Mirrors, outside, heated, power-adjustable
EPH	Electronic Precision Shift
ETJ	Battery, Ultium
FE9	Emissions, Federal requirements
FEX	Commercial Equipment Package/White Exterior
FSE	Spare fuse kit
HS1	Safety Alert Seat
IOK	Audio system, Infotainment system
J77	Brake, electronic parking
JSV	Brakes, 17" front and rear sliding caliper disc
K28	Charging module, 11.5 kW high-voltage
K34	Cruise control
K4F	Battery, 12-volt with rundown protection
KAG	Seat, heated driver cushion and seatback
KH8	Power outlet, auxiliary
KI3	Steering wheel, heated
KI4	Power outlets, two, 110-volt
KSG	Adaptive Cruise Control
KYR	Governor, vehicle speed sensor
KYW	Governor, vehicle speed sensor

Option Code	Description
NE1	Emissions, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements
NF6	Emission system zero emission vehicle (ZEV)
NK5	Steering wheel
NP5	Steering wheel, leather-wrapped
NZ4	Wheel, 17" (43.2 cm) steel spare
P1S	OnStar, Additional 21 months of OnStar Assurance
P1T	OnStar, Additional 33 months of OnStar Assurance
P8N	Drive unit, rear
PCH	Heat Package
PCL	Exterior Light Package
PCM	Commercial Equipment Package/Black Exterior
PYN	Wheels, 17" (43.2 cm) steel
PZ8	Step Bumper View
Q8E	Mechanical jack with tools
QHQ	Tires, LT245/75R17E all-season, blackwall
R6S	Towing Reimbursement Plan, 3 years/36,000 miles
RSF	Wheels, 17" (43.2 cm) steel
RUF	Wheel, 17" (43.2 cm) steel spare
S80	Drive unit, front
T83	Headlamp control, automatic on and off
T8Z	Buckle to Drive
TD1	Safety reflector triangle kit
TQ5	IntelliBeam
U05	Horn, dual-note
U80	Compass, digital
UBJ	USB ports, 2
UD5	Front and Rear Park Assist
UDV	Driver Information Center
UE1	OnStar
UE4	Following Distance Indicator
UEU	Forward Collision Alert
UF2	Lamp, exterior
UFA	Outside temperature display
UFB	Rear Cross Traffic Braking
UGN	Enhanced Automatic Emergency Braking
UHX	Lane Keep Assist
UHY	Automatic Emergency Braking
UIT	LED Reflective Windshield Collision Alert
UJN	Tire Pressure Monitor System
UKI	Blind Zone Steering Assist
UKJ	Front Pedestrian Braking
UQF	Audio system feature, 2-speaker system
UTJ	Theft deterrent system
UTU	Theft deterrent sensor, vehicle inclination
UTV	Theft deterrent sensor, cargo area interior movement
UV2	HD Surround Vision
UVB	HD Rear Vision Camera

Option Code	Description
UVZ	Reverse Automatic Braking
VH4	Splash guards, rear
VHM	Vehicle health management
VK3	License plate front mounting package
VS1	First aid kit
VS6	Fire extinguisher, 1.5 kg
VSQ	Ship Thru, Produced in Ingersoll, Ontario and shipped to Adrian Steel, Wentzville, MO
VV4	Wi-Fi Hotspot capable
WLD	Window, remote express-down, driver-only
XFD	Chassis drive line, All-Wheel Drive (AWD), electric front
XRJ	Ultium Drive System
YF5	Emissions, California state requirements
ZHQ	Tire, spare LT245/75R17E all-season, blackwall

## Updates for Zevo 600

### Week of 6/13/2022

Effective 6/13/2022, the following changes will be made to the Vehicle Order Guide:

- Interior section-(AS2) Active Safety Package 2, updated extended description to now read "includes (KSG) Adaptive Cruise Control, (UV2) HD Surround Vision, (UGN) Enhanced Automatic Emergency Braking and (UVZ) Reverse Automatic Braking".
- Interior section-Added (P1S) OnStar, Additional 21 months of OnStar Assurance. Provides up to 21 months of OnStar Assurance service in addition to the 3 months of complimentary Safety and Security coverage that is included in the price of the vehicle. Total Fleet OnStar service duration is up to 24 months. OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. See [OnStar.com/BusinessSolutions](https://OnStar.com/BusinessSolutions) for details and limitations. It is "A" on EJY with a footnote that reads "Requires (UE1) OnStar. Fleet or Government order types only. Not available with P1T or a ship-to of Guam, Puerto Rico or the Virgin Islands."
- Interior section-Added (P1T) OnStar, Additional 33 months of OnStar Assurance. Provides up to 33 months of OnStar Assurance service in addition to the 3 months of complimentary Safety and Security coverage that is included in the price of the vehicle. Total Fleet OnStar service duration is up to 36 months. OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. See [OnStar.com/BusinessSolutions](https://OnStar.com/BusinessSolutions) for details and limitations. It is "A" on EJY with a footnote that reads "Requires (UE1) OnStar. Fleet or Government order types only. Not available with P1S or a ship-to of Guam, Puerto Rico or the Virgin Islands."
- Interior section-Deleted (UKK) Rear Pedestrian Alert.
- Exterior section-(Q8E) Mechanical jack with tools, added a footnote 1 to EJY that reads "Required for Rhode Island ship-to-state."

### Week of 5/16/2022

Effective 5/16/2022, the following changes will be made to the Vehicle Order Guide:

- Interior section-(VS6) Fire extinguisher, 1.5 kg with mount, updated footnote 1 to now read "Included with (PCM) Commercial Equipment Package/Black Exterior or (FEX) Commercial Equipment Package/White Exterior."
- Mechanical section-(C7E) GVWR, 11,000 lbs. (4990 kg), includes (TD1) safety reflector triangle kit and (VS6) fire extinguisher, updated description to now read "GVWR, 11,000 lbs. (4990 kg)". Also added a footnote that reads "Requires (TD1) safety reflector triangle kit and (VS6) fire extinguisher."
- Mechanical section-Added (R6S) Towing Reimbursement Plan, 3 years/36,000 miles, BrightDrop will reimburse customer for actual and reasonable towing expenses for warrantable repairs for a period of 3 years or 36,000 miles, whichever comes first. Coverage begins on the date the vehicle is first delivered and ends at the expiration of the coverage period. It is "A" on EJY.

- Color and Trim section-(GBA) Black, added Touch Up Paint Number "WA-8555".
- Color and Trim section-(GRO) Oyster White, added Touch Up Paint Number "WA-673G".

**Week of 4/25/2022**

Effective 4/25/2022, the following changes will be made to the Vehicle Order Guide:

- Home Page and all sections-Updated vehicle name to "Zevo 600".
- Ship Thru section-Added section with (VSQ) Ship Thru, Produced in Ingersoll, Ontario and shipped to Adrian Steel, Wentzville, MO (Dealer Invoice = \$300.00). It is "A" on EJY.
- Specs section-Curb weight (C5F), updated data to "8466 (3840)".
- Specs section-Curb weight (C7E), updated data to "8483 (3848)".
- Specs section-Payload (C5F), updated data to "1450 (658)".
- Specs section-Added "Payload, Minimum, with all optional equipment (C5F), lbs. (kg) 1280 (581)".
- Specs section-Payload (C7E), updated data to "2440 (1107)".
- Specs section-Added "Payload, Minimum, with all optional equipment (C7E), lbs. (kg) 2290 (1039)".